



UAB „Fortevento“

Uždaroji akcinė bendrovė, buveinės adresas Konstitucijos pr.7, 09308 Vilnius, Tel.: 8 5 2059896, Faksas: 8 5 2059899
Juridinių asmenų registras, įmonės kodas 302327313, PVM mokėtojo kodas LT100004630711

Muitinės departamentas prie Lietuvos Respublikos
Finansų ministerijos

**PASIŪLYMAS
DĖL ASMENINIŲ KOMPIUTERIŲ VIEŠOJO PIRKIMO**

2015-04-16 Nr. PSL150416-01
Vilnius

Tiekėjo pavadinimas / <i>Jeigu dalyvauja ūkio subjektų grupė, surašomi visi dalyvių pavadinimai/</i>	UAB „Fortevento“
Tiekėjo adresas / <i>Jeigu dalyvauja ūkio subjektų grupė, surašomi visi dalyvių adresai/</i>	Konstitucijos pr. 7, 09308 Vilnius
Už pasiūlymą atsakingo asmens vardas, pavardė	Aurelijus Šaltenis
Telefono numeris	(8-5) 205 9895
Fakso numeris	(8-5) 205 9899
El. pašto adresas	Aurelijus.saltenis@fortevento.lt

Šiuo pasiūlymu pažymime, kad sutinkame su visomis pirkimo sąlygomis, nustatytomis Konkurso sąlygose ir kituose pirkimo dokumentuose (jų paaiškinimuose, papildymuose).

Mes siūlome šias prekes:

Eil. Nr.	Prekių pavadinimas, modelis, kodas (<i>įrašyti tikslų prekės pavadinimą</i>)	Kiekis (vnt.)	Vieneto kaina be PVM (EUR)	PVM tarifas (proc.)	PVM suma (EUR)	Vieneto kaina su PVM (EUR)	Bendra suma su PVM (EUR)
1	2	3	4	5	6	7	8=3x7
1.	Asmeniniai kompiuteriai HP EliteDesk 800	545	830,00	21	174,30	1.004,30	547.343,50
Iš viso (bendra pasiūlymo kaina)							547.343,50

Bendra pasiūlymo kaina su PVM ir kitais mokesčiais (skaičiais ir žodžiais) - **547.343,50 EUR** (Penki šimtai keturiasdešimt septyni tūkstančiai trys šimtai keturiasdešimt trys eurai 50 ct).

Į šią sumą įeina visos išlaidos ir visi mokesčiai, taip pat ir PVM, kuris sudaro (skaičiais ir žodžiais) - 94.993,50 EUR (Devyniasdešimt keturi tūkstančiai devyni šimtai devyniasdešimt trys eurai 50 ct).

Siūlomos *prekės* visiškai atitinka Konkurso sąlygose nurodytus reikalavimus ir jų savybės tokios:

1 lentelė

Kompiuterių specifikacija

Eil. Nr.	Parametro arba savybės pavadinimas	Reikalaujama minimali reikšmė	Tikslūs siūlomos prekės duomenys (pildo tiekėjas)
1	2	3	4
	Gamintojas ir modelis		HP EliteDesk 800
1.	Procesorius		
1.1.	Kiekis	Ne mažiau kaip 1	1
1.2.	Našumas	1. Procesoriaus našumas turi būti ne mažesnis kaip: 7000 taškų pagal PassMark testų rezultatus, remiantis http://www.cpubenchmark.net procesorių palyginimo testais (testų rezultatuose nesant konkretaus procesoriaus, tinkamas tos pačios markės ir pagal tą pačią technologiją pagamintas toks pat kaip testuose esantis tik su didesniu dažniu procesorius). 2. Procesorius turi palaikyti automatinę maitinimo įtampos reguliavimo funkciją esant mažai apkrovai. 3. Nurodyti procesoriaus gamintoją, tipą, pavadinimą, dažnį, sparčiosios atminties dydį, sisteminės magistralės dažnį. 4. Procesoriaus našumas negali būti dirbtinai padidintas.	1. Procesoriaus našumas: 7241 taškų pagal PassMark testų rezultatus, remiantis http://www.cpubenchmark.net et procesorių palyginimo testais. 2. Procesorius palaiko automatinę maitinimo įtampos reguliavimo funkciją esant mažai apkrovai. 3. Intel Core i5-4590 (3.30 GHz, 6 MB cache, 4 cores). 4. Procesoriaus našumas nėra dirbtinai padidintas.
2.	Operatyvioji atmintis		
2.1.	Talpa (MB)	Ne mažiau kaip 4GB DDR3-1600	4GB DDR3-1600
2.2.	Modulių skaičius	Ne daugiau 2	1
2.3.	Modulių lizdų kiekis (DIMM)	Ne mažiau kaip 4	4
2.4.	Plėtos galimybės (GB)	Ne mažiau kaip 32GB DDR3-1600	32GB DDR3-1600
3.	Standusis diskas		
3.1.	Talpa (GB)	Ne mažiau kaip 500 GB	500 GB
3.2.	Apsukų skaičius (aps/min)	7200	7200

3.3.	Sąsaja	Nuosekloji ATA 6,0Gb/s (SATA6,0Gb/s)	Nuosekloji ATA 6,0Gb/s (SATA6,0Gb/s)
3.4.	Papildomos savybės	Savistabos analizės ir ataskaitų technologija („Self-Monitoring Analysis and Reporting Technology“ IV arba lygiavertė)	Savistabos analizės ir ataskaitų technologija („Self-Monitoring Analysis and Reporting Technology“ IV
4.	Diskų valdiklis		
4.1.	Sąsajos tipas	Nuosekloji ATA 3,0Gb/s (SATA 1.5-Gb/s ir 3.0-Gb/s palaikymas) arba geresnė. RAID 1 palaikymas.	Nuosekloji ATA 6,0Gb/s RAID 1 palaikymas
4.2.	Jungčių skaičius	Nemažiau kaip 4	4
5.	Optinis įrenginys		
5.1.	Tipas	Vidinis DVD+/-RW	Vidinis DVD+/-RW
5.2.	Sparta	Ne mažiau kaip 8x	8x
6.	Tinklo plokštė		
6.1.	Tipas	Integruota 10/100/1000, UTP; visiškas duplexinis režimas; PXE	Integruota 10/100/1000, UTP; visiškas duplexinis režimas; PXE
6.2.	Papildomos savybės	Wake-On-LAN palaikymas, galimybė prijungti prie nuotolinio tinklo valdymo funkcijos	Wake-On-LAN palaikymas, galimybė prijungti prie nuotolinio tinklo valdymo funkcijos
7.	Vaizdo plokštė		
7.1.	Tipas	Integruota arba neintegruota, dviejų monitorių palaikymas	Integruota Intel HD Graphics 4600
7.2.	Našumas	Vaizdo plokštės našumas turi būti ne mažesnis kaip: 500 taškų pagal Passmark G3D Mark testų rezultatus, remiantis http://www.cpubenchmark.net	Vaizdo plokštės našumas: 727 taškų pagal Passmark G3D Mark testų rezultatus, remiantis http://www.cpubenchmark.net
7.3.	Jungtys	Ne mažiau kaip VGA ir 2 DisplayPort	VGA ir 2 DisplayPort
8.	Garso sistema		
8.1.	Garso plokštė	Integruota 16 bitų arba geresnė	Integruota 16 bitų
8.2.	Garsiakalbis	Vidinis, ne mažiau kaip 1	1
9.	Korpusas		
9.1.	Gabaritai	Ne aukštesnis kaip 10 cm horizontalioje padėtyje stalo kompiuterio korpusas	10 cm horizontalioje padėtyje stalo kompiuterio korpusas

9.2.	Darbinė padėtis	Gamintojo pritaikytas naudoti horizontalioje ir vertikalioje padėtyje. Jei gamintojo numatyta, turi būti pateiktas priedas naudojimui vertikalioje padėtyje.	Gamintojo pritaikytas naudoti horizontalioje ir vertikalioje padėtyje.
9.3.	Surinkimo ir ardymo ypatybės	Korpusas ir pagrindinės kompiuterio sudedamosios dalys (standžiųjų diskų kaupikliai, optinių ir lanksčiųjų diskelių įrenginiai, RAM, PCI plokštės ir t. t.) turi turėti galimybę būti pakeistos be įrankių	Korpusas ir pagrindinės kompiuterio sudedamosios dalys (standžiųjų diskų kaupikliai, optinių ir lanksčiųjų diskelių įrenginiai, RAM, PCI plokštės ir t. t.) turi galimybę būti pakeistos be įrankių
9.4.	Maitinimo šaltinis	Vidinis, ne galingesnis nei 220W+/-10%, maitinimo šaltinio efektyvumas ne blogiau kaip 90%. Informacija apie maitinimo šaltinio atitikimą turi būti pateikta gamintojo techninėje dokumentacijoje.	Vidinis, 240W, maitinimo šaltinio efektyvumas 90%. Informacija apie maitinimo šaltinio atitikimą pateikta gamintojo techninėje dokumentacijoje.
9.5.	Korpuso medžiaga	Metalas	Metalas
9.6.	Triukšmingumas neveiklos režime	Ne daugiau kaip 28dBA. Turi būti pateikiama gamintojo deklaracija dėl triukšmo sklaidos pagal ISO 7779 arba ISO 9296 arba sertifikuoto testavimo centro deklaracija dėl triukšmo sklaidos pagal ISO 7779 arba ISO 9296.	26dBA. Pateikiama gamintojo deklaracija dėl triukšmo sklaidos pagal ISO 7779 ir ISO 9296
9.7.	Išorinių kaupiklių nišų skaičius	Ne mažiau kaip 1	2
9.8.	Vidinių kaupiklių nišų skaičius	Ne mažiau kaip 2	2
9.9.	PCI lizdai	Ne mažiau kaip 1 PCI <i>express</i> x1, 2 PCI <i>express</i> x16	2 PCI <i>express</i> x1, 2 PCI <i>express</i> x16
10.	Prievadai		
10.1.	USB	Ne mažiau kaip 4 USB 3.0 lizdai (ne mažiau kaip 2 iš jų turi būti korpuso priekiniame skydelyje), 6 USB 2.0 lizdai	4 USB 3.0 lizdai (2 iš jų korpuso priekiniame skydelyje), 6 USB 2.0 lizdai
10.2.	Ausinių ir mikrofono prievadai	Priekiniame korpuso skydelyje	Priekiniame korpuso skydelyje
11.	Įvesties įrenginiai		
11.1.	Klaviatūra	Su <i>Smart Card</i> kortelių skaitytuvu, su lietuviškos abėcėlės ženklais arba prie klavišų lipdomais lipdukais	Su <i>Smart Card</i> kortelių skaitytuvu, su prie klavišų lipdomais lietuviškos abėcėlės lipdukais

11.2.	Pelė	Lazerinė, dviejų mygtukų, su slinkties ratuku	Lazerinė, dviejų mygtukų, su slinkties ratuku
12.	Apsauga		
12.1.	Mechaninės priemonės	Gamintojo numatyta galimybė užrakinti korpusą <i>Kensington Lock</i> tipo apsaugos lynu. Elektroninis korpuso užraktas arba mechaninė priemonė korpuso užrakinimui raktu, su korpuso atidarymo jutikliu.	Gamintojo numatyta galimybė užrakinti korpusą <i>Kensington Lock</i> tipo apsaugos lynu. Elektroninis korpuso užraktas su korpuso atidarymo jutikliu.
12.2.	Programinės priemonės	Atminties keitimo aliarmo funkcija; įjungimo slaptažodis; sąrankos slaptažodis; temperatūros jutiklis; galimybė blokuoti / leisti naudotis nuosekliais, lygiagrečiais ir USB prievadais bei nerodyti jų operacinėje sistemoje	Atminties keitimo aliarmo funkcija; įjungimo slaptažodis; sąrankos slaptažodis; temperatūros jutiklis; galimybė blokuoti / leisti naudotis nuosekliais, lygiagrečiais ir USB prievadais bei nerodyti jų operacinėje sistemoje
12.3.	Kodavimas	TPM saugos mikroschema	TPM saugos mikroschema
13.	Valdymas		
13.1.	Suderinamumas	Kompiuteris turi būti suderinamas su <i>HP client automation enterprise</i> programine įranga	Kompiuteris suderinamas su <i>HP client automation enterprise</i> programine įranga
13.2.	Konfigūracijos valdymas	Konfigūracijos valdymas - ACPI palaikymas; nuotolinis konfigūracijos valdymas; nuotolinis BIOS nustatymo tvarkymas apsaugotas prisijungimo slaptažodžiu; nuotolinis BIOS atnaujinimas apsaugotas prisijungimo slaptažodžiu; nuotolinis įjungimas/išjungimas apsaugotas prisijungimo slaptažodžiu.	Konfigūracijos valdymas - ACPI palaikymas; nuotolinis konfigūracijos valdymas; nuotolinis BIOS nustatymo tvarkymas apsaugotas prisijungimo slaptažodžiu; nuotolinis BIOS atnaujinimas apsaugotas prisijungimo slaptažodžiu; nuotolinis įjungimas/išjungimas apsaugotas prisijungimo slaptažodžiu.
13.3.	Sistemos valdymas	Informacija apie įrenginių CPU, standžiojo disko įrenginio, monitoriaus ir tinklo plokštės gamintoją, modelį ir serijos numerį.	Informacija apie įrenginių CPU, standžiojo disko įrenginio, monitoriaus ir tinklo plokštės gamintoją, modelį ir serijos numerį.
14.	Monitorius		HP EliteDisplay E221c
14.1.	Tipas	21,5" neblizgus skystųjų kristalų ekranas, IPS, 16:10 arba 16:9 ekrano tipas	21,5" neblizgus skystųjų kristalų ekranas, IPS, 16:9 ekrano tipas

14.2.	Raiška	Nemažesnė kaip 1920x1080/60Hz	1920x1080/60Hz
14.3.	Taško dydis	Ne daugiau kaip 0,248 mm	0,248 mm
14.4.	Kontrastas	Neblogiau kaip 1000:1	1000:1
14.5.	Skaistis	Ne mažiau kaip 250 cd/m ²	250 cd/m ²
14.6.	Atsako trukmė	Ne daugiau kaip 8 ms	7 ms
14.7.	Įvestys	VGA, DisplayPort, 3 USB	VGA, DisplayPort, 3 USB
14.8.	Maitinimo šaltinis	Vidinis	Vidinis
14.9.	Kitos savybės	Monitoriaus aukščio ir posvyrio kampo reguliavimas, 90 laipsnių pasukimo (<i>Pivot Rotation</i>) galimybė	Monitoriaus aukščio ir posvyrio kampo reguliavimas, 90 laipsnių pasukimo (<i>Pivot Rotation</i>) galimybė
14.10.	Sertifikavimas	EPEAT Gold, TCO 5.0, <i>Energy Star</i> 5.0 atitiktis	EPEAT Gold, TCO 5.0, <i>Energy Star</i> 5.0 atitiktis
14.11.	Komplektavimas	Maitinimo, VGA ir DisplayPort kabeliai	Maitinimo, VGA ir DisplayPort kabeliai
15.	Operacinė sistema	<i>Windows 7 Profesional</i> arba lygiavertė, su gamintojo numatyta galimybe pasirinkti vartotojo sąsajos kalbą (anglų arba lietuvių) arba lygiavertė. Siūlant kitą, nei <i>Windows 7</i> operacinę sistemą, turi būti užtikrintas Lietuvos Muitinės taikomųjų programų darbas siūlomoje operacinėje sistemoje.	<i>Windows 7 Profesional</i> su gamintojo numatyta galimybe pasirinkti vartotojo sąsajos kalbą (anglų arba lietuvių)
16.	Aplinkosauga		
16.1.	Ekologiniai gamybos reikalavimai visai įrangai	Kompiuteriui ir monitoriui ne blogiau kaip EPEAT Gold ir Energy Star 5 sertifikavimas. Informacija apie sertifikavimą pateikiama www.epeat.net ir www.energystar.gov svetainėse arba kompiuterių gamintojų dokumentacijoje. Gaminys atitinka Europos Parlamento ir Tarybos direktyvos 2002/95/EB „Dėl tam tikrų medžiagų naudojimo elektroninėje įrangoje apribojimo“ nustatytus reikalavimus.	Kompiuteriui ir monitoriui EPEAT Gold ir Energy Star 5 sertifikavimas. Informacija apie sertifikavimą pateikiama www.epeat.net ir www.energystar.gov svetainėse arba kompiuterių gamintojų dokumentacijoje. Gaminys atitinka Europos Parlamento ir Tarybos direktyvos 2002/95/EB „Dėl tam tikrų medžiagų naudojimo elektroninėje įrangoje apribojimo“ nustatytus reikalavimus.
17.	Kiti reikalavimai		
17.1.	Surinkimo reikalavimai	Visos siūlomo kompiuterio dalys (sisteminis blokas, pagrindinė plokštė, RAM, HDD, monitorius, klaviatūra, pelė ir kt.) turi būti pagamintos to paties gamintojo ir pažymėtos jo prekės	Visos siūlomo kompiuterio dalys (sisteminis blokas, pagrindinė plokštė, RAM, HDD, monitorius, klaviatūra, pelė ir kt.) pagamintos to paties

		ženklų arba tai turi būti paminėta techninėje dokumentacijoje	gamintojo ir pažymėtos jo prekės ženklu
17.2.	Kokybės reikalavimai	Privalo atitikti ISO-9001:2000 gamybos kokybės standartą arba lygiavertį. Kompiuterio gamintojas turi įsidiegti ISO 14001:2004 arba lygiavertį aplinkosaugos vadybos standartą.	Atitika ISO-9001:2000 gamybos kokybės standartą. Kompiuterio gamintojas turi įsidiegti ISO 14001:2004 aplinkosaugos vadybos standartą.
17.3.	Sertifikavimo reikalavimai	Sistema turi būti sertifikuota veikti su operacine sistema <i>Microsoft Windows 7</i> . Informacija apie sertifikavimą turi būti pateikta oficialiuose operacinių sistemų gamintojo tinklalapiuose arba įrodoma, pateikiant sertifikatų kopijas.	Sistema sertifikuota veikti su operacine sistema <i>Microsoft Windows 7</i> . Informacija apie sertifikavimą pateikta oficialiuose operacinių sistemų gamintojo tinklalapiuose: https://sysdev.microsoft.com/en-US/Hardware/LPL/ProductDetails.aspx?ProductID=242873&OrganizationID=31
17.4.	Valdymo ir administravimo programinė įranga	Kompiuterio gamintojo parengta valdymo ir administravimo programinė įranga	Kompiuterio gamintojo parengta valdymo ir administravimo programinė įranga
17.5.	Sisteminės programinės įrangos atstatymo priemonės	Gamintojo programinės įrangos CD komplektas operacinei sistemai ir tvarkyklėms kompiuteryje atstatyti arba disko skirsnio funkcija.	Disko skirsnio funkcija
18.	Kompiuterio ir monitoriaus garantijos reikalavimai		
18.1.	Garantinės priežiūros laikotarpis	Ne mažesnis kaip 36 mėnesiai nuo prekių perdavimo-priėmimo akto pasirašymo dienos. Gamintojo garantuojamas nemokamas dalių tiekimas ir nemokami remonto darbai. Visi aukščiau išvardinti reikalavimai privalo būti garantuojami gamintojo (pateikti tai liudijančią gamintojo dokumentaciją, jei tai yra standartiniai oficialūs gamintojo įsipareigojimai, arba komplektuoti papildomus gamintojo serviso paketus nurodant pasiūlyme jų kodus ir pavadinimus).	36 mėnesiai nuo prekių perdavimo-priėmimo akto pasirašymo dienos. Gamintojo garantuojamas nemokamas dalių tiekimas ir nemokami remonto darbai. Visi aukščiau išvardinti reikalavimai garantuojami gamintojo.

18.2.	Garantinės priežiūros vieta	Atliekama darbo vietoje	Atliekama darbo vietoje
18.3.	Gedimo pašalinimo (kompiuterio/monitoriaus veikimo atstatymo) trukmė, jei nepateikiamas naudotis ekvivalentiškas kompiuteris/monitorius remonto laikotarpiui	Ne ilgesnė kaip 8 darbo valandos	8 darbo valandos
18.4.	Gedimo pašalinimo (kompiuterio/monitoriaus veikimo atstatymo) trukmė, jei pateikiamas naudotis ekvivalentiškas kompiuteris/monitorius remonto laikotarpiui	Ne ilgesnė kaip 4 savaitės	4 savaitės
18.5.	Serviso centrai	Lietuvoje turi būti ne mažiau kaip 2 gamintojo sertifikuoti serviso centrai garantiniam remontui atlikti.	Lietuvoje esantys gamintojo sertifikuoti serviso centrai garantiniam remontui atlikti: ATEA, Blue Bridge, EIT Sprendimai, ServiceNet LT

Kartu su pasiūlymu pateikiami šie dokumentai:

Eil.Nr.	Pateiktų dokumentų pavadinimas	Konfidencialu (taip/ne)	Dokumento puslapių skaičius
1.	Triukšmo deklaracija 1 lentelės (Kompiuterių specifikacija) 9.6. punkto reikalavimui	Ne	8 lapai
2.	ISO 9001:2008 sertifikatas 1 lentelės (Kompiuterių specifikacija) 17.2. punkto reikalavimui	Ne	8 lapai
3.	ISO 14001 sertifikatas 1 lentelės (Kompiuterių specifikacija) 17.2. punkto reikalavimui	Ne	6 lapai
4.	Registrų centro pažyma	Ne	2 lapai
5.	Tiekėjo deklaracija	Ne	1 lapas
6.	VPT pažyma	Ne	1 lapas

Pildyti tuo atveju, jei bus pateikta konfidenciali informacija. Tiekėjas negali nurodyti, kad konfidenciali yra pasiūlymo kaina arba kad visas pasiūlymas yra konfidencialus.

Vykdam pirkimo sutartį, pasitelksime šiuos subtiekejus (subteikėjus):

Eil. Nr.	Subtiekejo (subteikejo) pavadinimas

Pildyt, jei sutarties vykdymui bus pasitelkti subtiekejai (subteikėjai).

Pasiūlymas galioja iki termino, nustatyto apklausos sąlygose.

Direktorius

(Tiekėjo arba jo įgalioto
asmens pareigų pavadinimas)



(Parašas)

Aurelijus Šaltenis

(Vardas ir pavardė)

Forma patvirtinta
Lietuvos Respublikos teisingumo ministro
2009 m. vasario 12 d. įsakymu Nr. 1R-43
(Lietuvos Respublikos teisingumo ministro
2009 m. lapkričio 27 d. įsakymo Nr. 1R-373
redakcija)

VALSTYBĖS ĮMONĖS REGISTRŲ CENTRO VILNIAUS FILIALAS

Lvovo g. 25, LT-09320 Vilnius, tel. (8 5) 266 2100, faks. (8 5) 262 8823, el. p. Vilnius@registrucentras.lt.
Duomenys kaupiami ir saugomi Juridinių asmenų registre, kodas 124208338

PAŽYMA,

**PATVIRTINANTI JUNGTINIUS KOMPETENTINGŲ INSTITUCIJŲ TVARKOMUS
DUOMENIS APIE VIEŠŲJŲ PIRKIMŲ PROCEDŪROJE DALYVAUJANTĮ TIEKĖJĄ
(JURIDINĮ ASMENĮ)**

2015-04-01 Nr. 218189

Tiekėjo pavadinimas Buhalterio (buhalterių) ar kito (kitų) asmens (asmenų), turinčio (turinčių) teisę surašyti ir pasirašyti tiekėjo apskaitos dokumentus, vardas, pavardė, gimimo data <u>Juridinių asmenų registras:</u> kodas teisinė forma teisinis statusas buveinė (adresas) vadovo ar ūkinės bendrijos tikrojo nario (narių), turinčio (turinčių) teisę juridinio asmens vardu sudaryti sandorį, vardas, pavardė įregistravimo data Registro tvarkytojas	UAB "Fortevento" JURGITA ALKSNIENĖ 302327313 Uždaroji akcinė bendrovė Teisinis statusas neįregistruotas Vilniaus m. sav. Vilniaus m. Konstitucijos pr. 7 AURELIJUS ŠALTENIS 2009-04-06 Valstybės įmonės Registrų centro Vilniaus filialas
<u>Valstybinė mokesčių inspekcija prie</u> <u>Lietuvos Respublikos finansų ministerijos:</u> duomenys apie tiekėjo atsiskaitymą su valstybės, savivaldybių biudžetais ir valstybės pinigų fondais Duomenų suformavimo data	Atsiskaitęs 2015-04-01
<u>Valstybinio socialinio draudimo fondo</u> <u>valdyba prie Socialinės apsaugos ir darbo</u> <u>ministerijos:</u> duomenys apie tiekėjo atsiskaitymą su Valstybinio socialinio draudimo fondu Duomenų suformavimo data	Neįsiskolinęs 2015-03-31
<u>Įtariamųjų, kaltinamųjų ir nuteistųjų</u> <u>registras:</u> duomenys apie tiekėją	Dėl UAB "Fortevento", kodas 302327313, nėra priimtas ir įsiteisėjęs apkaltinamasis teismo nuosprendis už nusikalstamas veikas,

nurodytas Lietuvos Respublikos viešųjų
pirkimų įstatymo (Žin., 1996, Nr. 84-2000;
2006, Nr. 4-102; 2013, Nr. 112-5575) 33
straipsnio 1 dalies ir 2 dalies 3, 9 punktų
nuostatomis.

duomenys apie tiekėjo vadovą ar ūkinės
bendrijos tikrąjį narį (narius), turintį (turinčius)
teisę juridinio asmens vardu sudaryti sandorį

Aurelijus Šaltenis, gim.
d., neteistas (-a) už nusikalstamas veikas,
nurodytas Lietuvos Respublikos viešųjų
pirkimų įstatymo (Žin., 1996, Nr. 84-2000;
2006, Nr. 4-102) 33 straipsnio 1 dalyje.

duomenys apie tiekėjo buhalterį (buhalterius) ar
kitą (kitus) asmenį (asmenis), turintį (turinčius)
teisę surašyti ir pasirašyti tiekėjo apskaitos
dokumentus

Jurgita Alksnienė, gim.
neteistas (-a) už nusikalstamas veikas,
nurodytas Lietuvos Respublikos viešųjų
pirkimų įstatymo (Žin., 1996, Nr. 84-2000;
2006, Nr. 4-102) 33 straipsnio 1 dalyje.

Pagal pažymą

Informatikos ir ryšių departamento prie LR
vidaus reikalų ministerijos pažymą Nr. 28R-
6408

Pažymos data

2015-04-01

Pažymą išspausdino:

Vilniaus filialo Juridinių asmenų registravimo
skyriaus Registro duomenų tvarkymo grupės
Vyriausioji specialistė



ALFREDA ZABLOVSKIENĖ

THE ECO DECLARATION

Product environmental attributes – THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable).
Additional information regarding each item may be found under P14.

Brand *	Hewlett-Packard	
Company name *	Hewlett-Packard Company	
Contact information *	Hans Wendschlag http://www.hp.com/hpinfo/globalcitizenship/environment/contactemail.html	
Internet site *	http://www.hp.com/hpinfo/globalcitizenship/environment/	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.

Type of product *	Desktop PC
Commercial name *	HP EliteDesk 800 G1 Small Form Factor Business PC
Model number *	800 G1 SFF
Issue date *	6/11/2013
Intended market *	☒ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other
Additional information	

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality Control		Requirement met	
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	☒	☐
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).	☒	☐

Model number *	800 G1 SFF		
Issue date *	6/11/2013	Logo	

Product environmental attributes - Legal requirements		Requirement met		
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)	☒	☐	
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.	☒	☐	
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorocarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.	☒	☐	
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	☒	☐	
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	☒	☐	
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.	☐	☐	☒
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)	☒	☐	☐
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values.	☐	☐	☒
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm ² /week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998.	☒	☐	☐
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.hp.com/hpinfo/globalcitizenship/environment/productdata/reachdesktop-pcs.html	☒	☐	☐
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)	☒	☐	☐
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)	☒	☐	☐
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference)	☒	☐	☐
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	☒	☐	☐
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).	☒	☐	☐
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).	☒	☐	☐
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	☒	☐	☐
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).	☐	☐	☒
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).	☐	☐	☒
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).	☐	☐	☒
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.	☒	☐	
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	☒	☐	☐
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.	☒	☐	☐

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model number *	800 G1 SFF		
Issue date *	6/11/2013	Logo	

Product environmental attributes - Market requirements - Environmental conscious design			Requirement met		
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.
P6	Treatment information				
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).		☒	☐	☐
P7	Design				
	Disassembly, recycling				
P7.1*	Parts that have to be treated separately are easily separable		☒	☐	☐
P7.2*	Plastic materials in covers/housing have no surface coating.		☐	☒	☐
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.		☒	☐	☐
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.		☒	☐	☐
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.		☒	☐	☐
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).		☒	☐	☐
	Product lifetime				
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives		☒	☐	☐
P7.8*	Upgrading can be done using commonly available tools		☒	☐	☐
P7.9.	Spare parts are available after end of production for: 5 years				☐
P7.10	Service is available after end of production for: years				☒
	Material and substance requirements				
P7.11*	Product cover/housing material type: Material type: Recycled ABS Material type: PC Material type: >PBT-GF30 FR (40)<				
P7.12	Electrical cable insulation materials of power cables are PVC free.		☐	☒	☐
P7.13	Electrical cable insulation materials of signal cables are PVC free		☐	☒	☐
P7.14	All cover/housing plastic parts >25g are free from chlorine and bromine.		☒	☐	☐
P7.15	All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See Note B2)		☒	☐	☐
P7.16	Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: Marking: >PBT-GF30 FR (40)< ; >PBT-GF30 FR (40)< ; FR22 ; FR(40) ; PBT FR(40)		☒	☐	☐
P7.17	Alt. 1 Chemical specifications of flame retardants in printed circuit boards >25g (without components): TBBPA (additive) ☐ , TBBPA (reactive) ☐ , Other; chemical name: , CAS #: Alt. 2 Chemical specifications of flame retardants in printed circuit boards (without components) >25g according ISO 1043-4: ISO 1043-4 (FR(40) for DOPO) ; FR(40) ; FR(16)		☐	☐	☐
P7.18	Alt. 1 Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in concentrations above 0.1%: Comment: No legal limits exist, this is a market requirement. 1. Chemical name: , CAS #: 2. Chemical name: , CAS #: 3. Chemical name: , CAS #: Alt. 2 Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4: >PBT-GF30 FR (40)< ; FR22 ; FR(40) ; PBT FR(40)		☐	☐	☐
P7.19	Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)		☒	☐	☐
P7.20	Of total plastic parts' weight >25g, recycled material content is 14.8 % .				
P7.21	Of total plastic parts' weight >25g, biobased material content is 0% .				
P7.22	Light sources are free from mercury If mercury is used specify: Number of lamps: and max. mercury content per lamp: mg		☐	☐	☒
P8	Batteries				
P8.1*	Battery chemical composition: lithium/manganese dioxide				☐
P8.2	Batteries meet the requirements of the following voluntary program/s:				☒

Note B2: IEC61249-2-21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	800 G1 SFF		
Issue date *	6/11/2013	Logo	

Product environmental attributes - Market requirements (continued)					Requirement met		
Item					Yes	No	n.a.
P9 Energy consumption							
9.1 For the product the following power levels or energy consumptions are reported:							
Energy mode *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference / Standard for energy modes and test method *			
ENERGY STAR® On Mode * (System Short Idle)	16.07 W	16.32 W	16.04 W	ENERGY STAR® Program Requirements for Computers: Ver. 6.0			
ENERGY STAR® On Mode * (System Long Idle)	14.25 W	14.23 W	13.46 W	ENERGY STAR® Program Requirements for Computers: Ver. 6.0			
ENERGY STAR® Low Power Sleep Mode* (S3 - Windows "Standby") With Wake On LAN (WOL) Enabled	1.56 W	1.56 W	1.64 W	ENERGY STAR® Program Requirements for Computers: Ver. 6.0			
System Off/Apparent Off Mode (ACPI S5) With Wake On LAN(WOL) Enabled* (Test Unit connected to AC Mains, AC adapter connected to All-In-One PC, if applicable)	0.53 W	0.54 W	0.60 W	ENERGY STAR® Program Requirements for Computers: Ver. 6.0			
ETEC * Annual Energy Consumption (calculated value) for each input voltage	70.77 kWh/year	71.54 kWh/year	69.96 kWh/year	ENERGY STAR® Program Requirements for Computers: Ver. 6.0			
Display resolution*: Megapixels (Applies only to Integrated PCs (All-In-One PC)				ENERGY STAR® Program Requirements for Displays (Ver. 6.0)			
Print Speed * : Images per minute					☒		
Default time to enter energy save mode: minutes				ENERGY STAR® Program Requirements for Computers: Ver. 6.0			
P9.2* Information about the energy save function is provided with the product.					☒	☐	☐
P9.3* The product meets the energy requirements of the following voluntary program/s: ENERGY STAR® version: 6.0 Tier: Product category: Desktop PC Others specify:					☒	☐	☐
P10 Emissions							
Noise emission – Declared according to ISO 9296							
P10.1	Mode	Mode description	Declared A-weighted sound power level $L_{WA,d}$ (B)	Declared A-weighted sound pressure level $L_{pA,m}$ (dB)			
				Operator position ☒	Bystander positions ☐		
				Desktop ☒	(only if product is not operator attended)		
				or Desk side ☐			
	Idle	* Fans on, HDD spinning (if applicable)	* 3.6	26		☐	
	Operation	* Fans on, HDD spinning	* 3.6	26		☐	
	Other mode						
	Measured according to: ☒ ISO7779 ☒ ECMA-74 ☐ Other (only if not covered by ECMA-74 with $L_{pA,m}$ measurement distance m)						
P10.2	The product meets the acoustic noise requirements of the following voluntary program/s:				☐	☐	☒

Model number *	800 G1 SFF		
Issue date *	6/11/2013	Logo	

Product environmental attributes - Market requirements (continued)		Requirement met		
Item		Yes	No	n.a.
Chemical emissions from printing products				
P10.3*	Test performed according to ECMA-328 (ISO/IEC 28360) standard ☐ , other specify:	☐	☐	☒
P10.4	Typical emission rate (print phase) is (mg/h): Dust Ozone Styrene Benzene TVOC			☒
P10.5	Chemical emission requirements of the following voluntary program/s are met for : Dust ☐ Ozone ☐ Styrene ☐ Benzene ☐ TVOC ☐	☐	☐	☒
Electromagnetic emissions				
P10.6	Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary program/s:	☐	☐	☐
P11 Consumable materials for printing products				
P11.1*	A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).	☐	☐	☒
P11.2*	Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN12281.	☐	☐	☒
P11.3*	2-sided (duplex) printing/copying is an integrated product function.	☐	☐	☒
P12 Ergonomics for computing products				
P12.1*	The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.	☐	☐	☒
P12.2*	The physical input device meets the requirements of ISO 9995 and ISO 9241-410.	☒	☐	☐
P13 Packaging and documentation				
P13.1*	Product packaging material type(s): <i>PAPER/Corrugated</i> weight (kg): 2.3 Product packaging material type(s): <i>PLASTIC/Polyethylene low density</i> weight (kg): 0.056 Product packaging material type(s): <i>PLASTIC/EPE-Expanded Polyethylene</i> weight (kg): 0.11 Product packaging material type(s): <i>PLASTIC/Polypropylene</i> weight (kg): 0.015			
P13.2*	Product plastic packaging is free from PVC.	☒	☐	☐
P13.3*	Specify media for user and product documentation (tick box): Electronic ☒ , Paper ☐ , Other ☐			☐
P13.4*	For paper user and product documentation, please specify contained percentage of post-consumer recycled fiber: 10 %			☐
Rev. P13.5	User and product documentation do not contain chlorine bleached paper	☒	☐	☐
P14 Additional information (See Note B4)				
All sections	1. Product environmental information contained in this declaration is valid as of the date the declaration is published. Changes to external standards referenced in the IT Eco-Declaration may invalidate some information contained in this declaration over time.			
P9	1. Many PCs are offered in multiple configurations within the model family. Energy efficiency data listed in this declaration is for an ENERGY STAR® compliant configuration if offered within the model family. HP computers marked with the ENERGY STAR® Logo are compliant with the applicable U.S. Environmental Protection Agency (EPA) ENERGY STAR® specifications for computers. For more information about HP's ENERGY STAR® qualified products, go to hp.com: http://www.hp.com/ and select the applicable market segments and product categories to find PC configurations that meet the ENERGY STAR® specifications. 2. If a model family does not offer ENERGY STAR® compliant configurations, then energy efficiency data listed is for a typically configured model. 3. Energy Efficiency information published on the ECMA 370 The Eco Declaration represents a typically configured product base model meeting ENERGY STAR® specifications if offered within the model family. If optional components or modules are added, like extra hard disks or graphic cards etc, these can change the energy efficiency data listed above. 4. Power consumption in the Off / Apparent Off mode is measured and reported with the network interface controller (NIC) WOL disabled.			
P10	1. Acoustic noise information published on the ECMA 370 The Eco Declaration represents a typically configured product base model only. If optional items with moving parts are added, like extra hard disks or graphic cards with fans etc, these can change acoustic noise values for which HP can take no responsibility.			

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2.3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19

THE ECO DECLARATION



ecma IT-Företagen

Company environmental profile - THE ECO DECLARATION

Brand	HP	Logo
Company name *	Hewlett-Packard Company	
Contact information *	HP Environmental Contact Centre (ECC) environment@hp.com	
Internet site *	www.hp.com/hpinfo/globalcitizenship/environment/index.html	
Issue date *	2014-06	
Intended market *	☒ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other	
Additional information		

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under C6.

Quality control		Requirement met	
Item		Yes	No
QC1 *	The company enforces an internal quality control system to ensure the correctness of this eco declaration	☒	☐
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control.	☒	☐

Company environmental profile - Legal requirements		Requirement met		
Item		Yes	No	n.a.
C1	Product recycling			
C1.1*	The company participates in a system or has its own system for collection and recycling of end of life products in countries where the company puts them on the market and where required (see legal reference)	☒	☐	
C2	Battery recycling			
C2.1*	The company participates in a system or has its own system for collection and recycling of batteries in countries where the company puts products on the market (see legal reference) or pays eco tax / fee where required.	☒	☐	
C3	Packaging recycling			
C3.1*	The company participates in a system or has its own system for collection and recycling of packaging material in countries where the company puts products on the market and where required (see legal reference)	☒	☐	

Company environmental profile - Market requirements		Requirement met		
Item		Yes	No	n.a.
C4	Environmental policy and environmental management			
C4.1*	The company has a documented environmental policy approved by the management.	☒	☐	
C4.2*	The company has an environmental management system covering: Product development Manufacturing If so certified according to: ☒ ISO 14001 ☒ Other as specified in C6	☒ ☒ ☒	☐ ☐ ☐	
C4.3	The company regularly publishes an environmental report. If so, it meets the recommendations of ☒ The Global Reporting Initiative ☐ Other as specified in C6	☒	☐	☐
C5	Recycling			
C5.1*	Information about the product, battery & packaging take back system (C1, C2, C3) is available in printed or electronic format.	☒	☐	
C6	Additional information			
	HP has received ISO 14001 certification for its manufacturing operations (<i>Worldwide Manufacturing of Computing and Imaging Products and Related Operations</i>) and for product design for its <i>Personal Systems Products</i> and <i>LaserJet and Enterprise Printing Products</i>. The product design certifications include HP-wide product environmental design processes (such as HP's <i>General Specification for the Environment</i>) that cover all HP products. HP is committed to responsible business practices and transparency in its global citizenship policies and performance. We have a long history of working with suppliers to monitor and improve their social and environmental responsibility (SER) performance when required, as well as improving standards in the industry. HP endorses the <i>EICC Code of Conduct</i> in its entirety, and we have supplemented it with additional requirements specific to freedom of association as well as HP's <i>Student and Dispatch Worker Guidance Standard for Supplier Facilities in the People's Republic of China (PRC)</i>. HP also has a strong <i>Global Human Rights Policy</i> in place. HP expects its suppliers to establish policies and processes regarding conflict minerals. HP conducts due diligence on its supply chain annually including requesting information about our suppliers' own due diligence and the smelters and refiners used. HP was the first IT company to publish its <i>supply chain smelter list</i>. HP follows the <i>Global Reporting Initiative (GRI)</i> guidelines as a basis for reporting. The <i>GRI index</i> provides easy reference to HP's <i>Living Progress Report (LPR)</i> content. HP offers <i>take back services</i> of			

products and printing suppliers in some 70 countries. Please refer to HP's [Living Progress Report](#) for more details on our global efforts.

Legal references Europe Annex A

Reference	Declaration item
2002/96/EC (WEEE directive)	C1.1
2006/66/EC (Battery and accumulators Directive)	C1.2
2004/12/EC (Directive on packaging and packaging waste)	C1.3