

Product environmental attributes - THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P14.

Brand *	Hewlett-Packard	Logo		
Company name *	Hewlett-Packard Company		1	
Contact information *	Hans Wendschlag http://www.hp.com/hpinfo/globalcitizenship/environment/contactemail.html			
Internet site *	http://www.hp.com/hpinfo/globalcitizenship/environment/			_
Additional information				-

The company declares	(based on product specification or test results based obtained from sample testing), that the product
conforms to the stateme	nts given in this declaration.
Type of product *	Desktop PC
Commercial name *	HP EliteDesk 800 G1 Small Form Factor Business PC
Model number *	800 G1 SFF
Issue date *	6/11/2013
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other
Additional information	, , , , , , , , , , , , , , , , , , , ,

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

	Control	Requireme	nt met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes	П
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).	ol 🛛	

00 G1 SFF		
/11/2013	Logo	h
	to the standard scrool and	

Product	environmental attributes - Legal requirements	Require	ment	t met
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium,	\square	П	
	0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal			
D4.03	reference and Note B1)			
P1.2*	Products do not contain Asbestos (see legal reference).	\boxtimes	П	
D4.0*	Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	\boxtimes	П	
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-		_	
	trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*				
F1.4	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	\boxtimes		
P1.5*	Products do not contain more than 0.10% hot shall be set (0.000). If 4.000			
1 1.5	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	\boxtimes	Ш	
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS),			
1 1.0	Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference).	Ш	Ш	\boxtimes
	Comment: Legal reference has no maximum concentration values.			
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split	<u> </u>		
	aromatic amines. (See legal reference and Note B1)	\boxtimes	Ш	Ш
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as			K 7
	pentachlorophenol and derivatives (see legal reference).	Ш	Ш	\boxtimes
	Comment: Legal reference has no maximum concentration values.			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5			
	microgram/cm²/week (see legal reference).	\boxtimes		Ш
	Comment: Max limit in legal reference when tested according to EN1811:1998.			
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):	\boxtimes		\neg
	http://www.hp.com/hpinfo/globalcitizenship/environment/productdata/reachdesktop-pcs.html		Ш	Ш
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains	<u> </u>	$\overline{}$	
	more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be	\boxtimes	Ш	
	marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is			
	provided in user manual. (See legal reference)			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or	\boxtimes		
	accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)		Ш	ш
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the	X	П	
	design of the product). Exception: Batteries that are permanently installed for safety performance, medical		Ш	
	or data integrity reasons do not have to be "easily removable". (See legal reference)			
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	\boxtimes	П	TT
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).		屵	+
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies	\boxtimes	Ц_	Щ_
	with legally required standards for radio and telecommunication devices (see legal reference).	\boxtimes	Ш	Ш
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	K-7		
P4	Consumable materials	\boxtimes		
P4.1*				
F4.1	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).			\boxtimes
P4.2*	ingan reference after work by the second state of the second state			
	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			\boxtimes
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the		П	X
	product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these	لــــا		
P5	requirements is available (see legal reference).			
P5.1*	Product packaging	100 m 100 m 100 m		
1 3.1	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and	\boxtimes		
P5.2*	nexavalent chromium by weight of these together.	Sections.		
	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	\boxtimes		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal	X	T	Ħ
	Protocol (see legal reference).			
- 2700- 372-	Comment: Legal reference has no maximum concentration values.			

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model number *	800 G1 SFF		7
Issue date *	6/11/2013	Logo	h

Product	t environmental attributes - Market requirements - Environmental conscious design	equire	moní	mot
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	
P6	Treatment information	163	INU	n.a.
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	\square	ТП	П
P7	Design Disassembly, recycling		1 —	
P7.1*	Parts that have to be treated separately are easily separable	\boxtimes	П	
P7.2*	Plastic materials in covers/housing have no surface coating.	-		屵
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.		吊	旹
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.	X	\dashv	十
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	X	\dashv	H
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	Ħ	一一	十
	Product lifetime			<u> </u>
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	\boxtimes	П	П
P7.8*	Upgrading can be done using commonly available tools	X	Ħ	Ħ
P7.9.	Spare parts are available after end of production for: 5 years			Ħ
P7.10	Service is available after end of production for: years			X
	Material and substance requirements			
P7.11*	Product cover/housing material type:			
	Material type: Recycled ABS Material type: PC Material type: >PBT-GF3	0 FR (4	(0)<	
P7.12	Electrical cable insulation materials of power cables are PVC free.			
P7.13	Electrical cable insulation materials of signal cables are PVC free	币	Ħ	Ħ
P7.14	All cover/housing plastic parts >25g are free from chlorine and bromine.	$\overline{\boxtimes}$	Ħ	Ħ
P7.15	All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See Note B2)			
P7.16	Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4	\boxtimes		
P7.17	Marking: >PBT-GF30 FR (40)< ; >PBT-GF30 FR (40)< ; FR22 ; FR(40) ; PBT FR(40)		Ш	Ш
P7.17	Alt. 1 Chemical specifications of flame retardants in printed circuit boards >25g (without components):			
	TBBPA (additive) , TBBPA (reactive) , Other; chemical name: , CAS #:		Ш	Ш
	Alt. 2			
	Chemical specifications of flame retardants in printed circuit boards (without components) >25g according	\boxtimes		П
P7.18	ISO 1043-4: ISO 1043-4 (FR(40) for DOPO); FR(40); FR(16) Alt. 1			
F7.10	Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in			
	concentrations above 0.1%:	Ш		Ш
	Comment: No legal limits exist, this is a market requirement.			
	1. Chemical name: , CAS #:			
	2. Chemical name: , CAS #: 3. Chemical name: , CAS #:			
	3. Chemical name: , CAS #: Alt. 2			
	Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4:			
	>PB1-GF30 FR (40)< ; FR22 ; FR(40) ; PBT FR(40)	\boxtimes		П
P7.19	Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45,	X	Ħ	Ħ
P7.20	R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)			
P7.21	Of total plastic parts' weight >25g, recycled material content is 14.8 %.			
P7.22	Of total plastic parts' weight >25g, biobased material content is 0%. Light sources are free from mercury			
				\boxtimes
P8	If mercury is used specify: Number of lamps: and max. mercury content per lamp: mg Batteries mg			
P8.1*	Battery chemical composition: lithium/manganese dioxide			
P8.2	Batteries meet the requirements of the following voluntary program/s:			닞
	voluntary program/s:			\boxtimes

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	800 G1 S	SFF					-
Issue date *	6/11/201	3				Logo	
Product enviro	nmental at	tributes - Market re	guirements (cor	ntinued)		Requiremen	t mot
Item			quiromento (001	idilaca)	HERE THE STREET	Yes No	
	gy consump		V V V V				
9.1 For th	e product the	e following power levels	or energy consum	ptions are repor	ted:		
Energy mode *		Power level at 100 V AC	Power level at 115 V AC	Power leve 230 V AC	l at	Reference / Standard for energy modes and test method *	
ENERGY STAR® (System Short Idle	e)	16.07 W	16.32 W	16.04 W		ENERGY STAR® Program Requirements for Computers: Ver. 6.0	
ENERGY STAR® (System Long Idle		14.25 W	14.23 W	13.46 W		ENERGY STAR® Program Requirements for Computers: Ver. 6.0	
ENERGY STAR® Sleep Mode* (S3 - "Standby") With W (WOL) Enabled	- Windows	1.56 W	1.56 W	1.64 W		ENERGY STAR® Program Requirements for Computers: Ver. 6.0	
System Off/Appare (ACPI S5) With W LAN(WOL) Enable Unit connected to AC adapter conne In-One PC, if appl	ake On ed* (Test AC Mains, ected to All-	0.53 W	0.54 W	0.60 W		ENERGY STAR® Program Requirements for Computers: Ver. 6.0	
ETEC * Annual Energy Co (calculated value) input voltage	for each	70.77 kWh/year	71.54 kWh/year	69.96 kWh/ye	ear	ENERGY STAR® Program Requirements for Computers: Ver. 6.0	
Display resolution	*: Me	egapixels (Applies only	y to Integrated PCs	(All-In-One PC)		ENERGY STAR® Program Requirements for Displays (Ver. 6.0)	
Print Speed *	: lı	mages per minute					\boxtimes
Default time to ent	er energy sa	ve mode: minu	ites			ENERGY STAR® Program Requirements for Computers: Ver. 6.0	
P9.2* Inform	ation about t	he energy save function	n is provided with th	ne product.		X N	<u>'</u>
P9.3* The pr	roduct meets	the energy requirement	its of the following v	oluntary program	n/s:	E-mail II	
		version: 6.0 Tier:	Product categor	y: Desktop PC			
P10 Emiss	s specify: sions						\square
Noise	emission -	Declared according to	ISO 9296			The second secon	
P10.1 Mode	N	Mode description		Declared		Declared A-weighted	T
				A-weighted sound power		sound pressure level $L_{p\mathrm{Am}}$ (dB)	
				level L_{WAd} (B)	Oper	ator position Bystander positions	1
				-WAU (-)		Desktop (only if product is not	
Idle	*	Fans on, HDD spinning	g (if applicable)	* 3.6		operator attended) 26	10
Opera	tion *	Fans on, HDD spinning	,	* 3.6		26	
Other	mode						-
Measu	red accordin	g to: X ISO7779 E E		d b.: 50845 7:			
P10.2 The pr	oduct meets	the acoustic noise requ	irements of the fall	a by ECMA-74 w	vith L _{pA}	m measurement distance m)	
1110 pt	- 3400 1110013	and accounted floinge fequ	mements of the follo	owing voluntary	progra	im/s:	\boxtimes

Model number *	800 G1 SFF				
Issue date *	6/11/2013	Logo			
Product envir	onmental attributes - Market requirements (continued)	D			
Item	minerical actinibutes - market requirements (continued)	K	equire		
	nical emissions from printing products		Yes	No	n.a.
	nical emissions from printing products			_	K 7
1000	performed according to ECMA-328 (ISO/IEC 28360) standard , other specify:			Ш	$\underline{\boxtimes}$
77.000	al emission rate (print phase) is (mg/h): Dust Ozone Styrene Benzene TVOC				\boxtimes
		туос 🗌			\boxtimes
	romagnetic emissions				
	outer display meets the requirement for low frequency electromagnetic fields of the following	owing voluntary			
	am/s:			-	
P11 Cons	umable materials for printing products				
P11.1* A Sa	ety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally requ	ired (see P4.3).			\boxtimes
EN12		e requirements of			\boxtimes
P11.3* 2-sid	ed (duplex) printing/copying is an integrated product function.			П	\boxtimes
	nomics for computing products				
P12.1* The	isplay meets the ergonomic requirements of ISO 9241-307 for visual display technology	gies.	\Box	П	X
	hysical input device meets the requirements of ISO 9995 and ISO 9241-410.	5		\dashv	H
	aging and documentation				
P13.1* Prod Prod Prod Prod	ict packaging material type(s): PAPER/Corrugated weight (kg ict packaging material type(s): PLASTIC/Polyethylene low density ict packaging material type(s): PLASTIC/EPE-Expanded Polyethylene weight (kg weight (kg weight (kg	i): 0.056 i): 0.11			
	ct plastic packaging is free from PVC.		\boxtimes	П	П
P13.3* Spec Elect	fy media for user and product documentation (tick box): onic , Paper , Other				
P13.4* For p	aper user and product documentation, please specify contained percentage of post-co- 10 %	nsumer recycled			
Rev. User P13.5	and product documentation do not contain chlorine bleached paper		\boxtimes		
P14 Addi	ional information (See Note B4)				
All 1. Prosections extern	duct environmental information contained in this declaration is valid as of the date the hall standards referenced in the IT Eco-Declaration may invalidate some information co	ntained in this decla	ration o	ver tim	10
1. Ma an El Logo comp the a 2. If a config 3. En mode	ny PCs are offered in multiple configurations within the model family. Energy efficier IERGY STAR® compliant configuration if offered within the model family. HP comput are compliant with the applicable U.S. Environmental Protection Agency (EPA) uters. For more information about HP's ENERGY STAR® qualified products, go to his policable market segments and product categories to find PC configurations that meet is model family does not offer ENERGY STAR® compliant configurations, then energy ured model. Pergy Efficiency information published on the ECMA 370 The Eco Declaration represent meeting ENERGY STAR® specifications if offered within the model family. If options data hard disks or graphic cards etc, these can change the energy efficiency data listed	ncy data listed in this ters marked with the ENERGY STAR® o.com: http://www.h the ENERGY STAR® refficiency data lister	s declar ENER specifi p.com/ ® specifi d is for	ration GY ST cations and s fication a typi	is for TAR® s for elections.

4. Power consumption in the Off / Apparent Off mode is measured and reported with the network interface controller (NIC) WOL

1. Acoustic noise information published on the ECMA 370 The Eco Declaration represents a typically configured product base model only. If optional items with moving parts are added, like extra hard disks or graphic cards with fans etc, these can change acoustic noise values for which HP can take no responsibility.

disabled.

P10

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19







Company environmental profile - THE ECO DECLARATION

Brand		HP Logo			
	ny name *	Hewlett-Packard Company			
Contact	information *	HP Environmental Contact Centre (ECC) environment@hp.com			
Internet	site *	www.hp.com/hpinfo/globalcitizenship/environment/index.html			
Issue da	ite *	2014-06			
Intended	d market *	Global Europe Asia, Pacific & Japan Americas Other			
Addition	nal information	S Global Europe Asia, i acinic a sapan Americas Other			
The dec	laration may be	opy when in printed form. Please refer to the contact information for the latest version. published only when all rows and/or fields marked with an $*$ are filled-in (n.a. for r garding each item may be found under C6.		licabl	e).
Quality	control	R	equire	ment	met
Item		· · · · · · · · · · · · · · · · · · ·	Yes		No
QC1 *	The company e	nforces an internal quality control system to ensure the correctness of this eco declaration	\boxtimes		
QC2 *	The company is	a member of an eco declaration system that enforces regular independent quality control.			屵
	· · · · · · · · · · · · · · · · · · ·	a member of an ede decidiation system that emorces regular independent quality control.	\boxtimes		
Compa	ny onvironment	tal profile - Legal requirements			
Item	ny environmen	tai profile - Legai requirements	equire		met
C1	Product recycli	na.	Yes	No	n.a.
C1.1*		participates in a system or has its own system for collection and recycling of end of life	<u> </u>		
01	products in cour	ntries where the company puts them on the market and where required (see legal reference)	\boxtimes	Ш	
C2	Battery recyclin	na			
C2.1*		participates in a system or has its own system for collection and recycling of batteries in	[2]	$\overline{}$	
	countries where required.	the company puts products on the market (see legal reference) or pays eco tax / fee where	\boxtimes	Ц	
C3	Packaging recy	cling			
C3.1*	material in col	participates in a system or has its own system for collection and recycling of packaging untries where the company puts products on the market and where required (see legal	\boxtimes		
	reference)				
Common	reference)				
Compa	reference)		equire	ment	met
Item	ny environment	tal profile - Market requirements	equire Yes	ment No	
Item C4	ny environmental	tal profile - Market requirements Routing and environmental management	Yes		
Item C4 C4.1*	ny environmental The company ha	policy and environmental management as a documented environmental policy approved by the management.			
Item C4	Environmental The company had Product develop	policy and environmental management as a documented environmental policy approved by the management. as an environmental management system covering:	Yes		
Item C4 C4.1*	Environmental The company ha Product develop Manufacturing	policy and environmental management as a documented environmental policy approved by the management. as an environmental management system covering: ment	Yes		
C4.1* C4.2*	Environmental The company had Product develop Manufacturing If so certified accordance.	policy and environmental management as a documented environmental policy approved by the management. as an environmental management system covering: ment cording to: ISO 14001 Other as specified in C6	Yes		
Item C4 C4.1*	Environmental The company had Product develop Manufacturing If so certified accompany re	policy and environmental management as a documented environmental policy approved by the management. as an environmental management system covering: ment cording to: ISO 14001 Other as specified in C6 gularly publishes an environmental report	Yes		
C4.2*	ny environmental The company ha Product develop Manufacturing If so certified acc The company re If so, it meets the	policy and environmental management as a documented environmental policy approved by the management. as an environmental management system covering: ment cording to: Society ISO 14001 Other as specified in C6 gularly publishes an environmental report.	Yes		
C4.1* C4.2* C4.3	Environmental The company has Product develop Manufacturing If so certified accompany re If so, it meets the Recycling	policy and environmental management as a documented environmental policy approved by the management. as an environmental management system covering: ment cording to: ISO 14001 Other as specified in C6 gularly publishes an environmental report. as recommendations of The Global Reporting Initiative Other as specified in C6	Yes		
C4.3 C5 C5.1*	Environmental The company has Product develop Manufacturing If so certified accompany re If so, it meets the Recycling Information about electronic format	policy and environmental management as a documented environmental policy approved by the management. as an environmental management system covering: ment cording to: Society ISO 14001 Other as specified in C6 gularly publishes an environmental report. are recommendations of The Global Reporting Initiative Other as specified in C6 at the product, battery & packaging take back system (C1, C2, C3) is available in printed or t.	Yes		
C4.1* C4.2* C4.3	Environmental The company has Product develop Manufacturing If so certified accompany relified, it meets the Recycling Information about electronic format Additional information.	policy and environmental management as a documented environmental policy approved by the management. as an environmental management system covering: ment cording to: Society ISO 14001 Other as specified in C6 gularly publishes an environmental report. as recommendations of The Global Reporting Initiative Other as specified in C6 at the product, battery & packaging take back system (C1, C2, C3) is available in printed or t.	Yes	No	n.a.
C4.3 C5 C5.1*	In the company reference of the company has product develop the company reference of the company	tal profile - Market requirements R policy and environmental management as a documented environmental policy approved by the management. as an environmental management system covering: ment cording to: S ISO 14001 Other as specified in C6 gularly publishes an environmental report. as recommendations of The Global Reporting Initiative Other as specified in C6 at the product, battery & packaging take back system (C1, C2, C3) is available in printed or the control of the control o	Yes X X X X X X X X X X X X X X X X X X	No	n.a.
C4.3 C5 C5.1*	In processes (such the last energy of the company for the comp	tal profile - Market requirements Policy and environmental management as a documented environmental policy approved by the management. as an environmental management system covering: whent Cording to: Significant Signifi	Yes Yes Comp and Latal des and per tal resp CC Cor of asso epublic in polici ing request I cor con for the control of the control control of the control of the control of the control control of the	uting serJet ign	n.a.

Legal references Europe Annex A

_



Product environmental attributes - THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable).

Additional information regarding each item may be found under P14.

Brand *	Hewlett-Packard	Logo	
Company name *	Hewlett-Packard Company		
Contact information *	Hans Wendschlag http://www.hp.com/hpinfo/globalcitizenship/environment/contactem ail.html		
Internet site *	http://www.hp.com/hpinfo/globalcitizenship/environment/		
Additional information			

The company declares conforms to the stateme	(based on product specification or test results based obtained from sample testing), that the product nts given in this declaration.
Type of product *	Display
Commercial name *	HP EliteDisplay E221c 21.5-inch Webcam Backlit LCD Monitor
Model number *	E221c
Issue date *	9/2/2013
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other
Additional information	

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality	Control	Requiremen	nt met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration		
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).	ol 🛛	

Model number *	E221c		
Issue date *	9/2/2013	Logo	

Product	environmental attributes - Legal requirements	Require	ment	met
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)	. 🛛		
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.	\boxtimes		
P1.3*	Products do not contain Ozone Depleting Substances; Chlorofluorocarbons (CFC)	\boxtimes	П	
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated	\boxtimes	П	
P1.5*	terphenyl (PCT) in preparations (see legal reference).			
	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).		Ш	
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.			\boxtimes
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)	\boxtimes		
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as		П	X
	pentachlorophenol and derivatives (see legal reference).			
P1.9*	Comment: Legal reference has no maximum concentration values. Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5			
	microgram/cm²/week (see legal reference).	\bowtie	Ш	Ш
	Comment: Max limit in legal reference when tested according to EN1811:1998.			
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):	\boxtimes	П	П
	http://www.hp.com/hpinfo/globalcitizenship/environment/productdata/reachdesktop-pcs.html			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)		\boxtimes	
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical			
P3	or data integrity reasons do not have to be "easily removable". (See legal reference) Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).			
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).		\blacksquare	ᆜ
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies		<u>Ц</u>	Ц_
P3.4*	with legally required standards for radio and telecommunication devices (see legal reference)	\boxtimes		
	The product is labeled to show conformance with applicable legal requirements (see legal reference).	\boxtimes	П	
P4 P4.1*	Consumable materials			
	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).			\boxtimes
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).		П	\boxtimes
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			
P5	Product packaging			-
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.	\boxtimes		
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	\boxtimes	П	П
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.			

Logo
_

Product	environmental attributes - Market requirements - Environmental conscious design	equire	ment	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P6	Treatment information	V		
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	\boxtimes		
P7	Design Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable	N/		П
P7.2*	Plastic materials in covers/housing have no surface coating.	\square	井	ᄴ
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.		\boxtimes	닉
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.		井	ᆜ
P7.5		\boxtimes	ᆜ	Ц.
P7.6*	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	\boxtimes	<u> </u>	
17.0	Labels are easily separable. (This requirement does not apply to safety/regulatory labels). Product lifetime	\boxtimes		
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives			5-7
P7.8*	Upgrading can be done e.g. with processor, memory, cards or drives Upgrading can be done using commonly available tools	<u> Ц</u>		
P7.9.	* 2 Participant Control Contro			\boxtimes
	Spare parts are available after end of production for: 5 years			
P7.10	Service is available after end of production for: years			\boxtimes
P7.11*	Material and substance requirements			
P7.11"	Product cover/housing material type: Material type: >ABS+PET< Material type: Material type: Material type: M			
P7.12	Electrical cable insulation materials of power cables are PVC free.			
P7.13		<u>Ш</u>	\boxtimes	Ш
P7.14	Electrical cable insulation materials of signal cables are PVC free		\boxtimes	
	All cover/housing plastic parts >25g are free from chlorine and bromine.	\boxtimes		
P7.15	All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See Note B2)	\boxtimes		
P7.16	Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4:	\boxtimes	П	\neg
D= 4=	Marking: PC		ш	ш
P7.17	Alt. 1 Chemical encoffications of flows retardants in minted significant local to 0.5 (1)			
	Chemical specifications of flame retardants in printed circuit boards >25g (without components): TBBPA (additive), TBBPA (reactive), Other; chemical name: , CAS #:	Ш		Ш
	TBBPA (additive), TBBPA (reactive), Other; chemical name: , CAS #:			
	Alt. 2			
	Chemical specifications of flame retardants in printed circuit boards (without components) >25g according	\boxtimes	П	П
D7.40	ISO 1043-4: FR -4	K3	LJ	
P7.18	Alt. 1			
	Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in concentrations above 0.1%:			
	Comment: No legal limits exist, this is a market requirement.			
	1. Chemical name: , CAS #:			
	2. Chemical name: , CAS #:			
	3. Chemical name: , CAS #: Alt. 2			
	Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4:			
	PC	\boxtimes	\Box	
P7.19	Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45,	M	\forall	뉘
	R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)			
P7.20	Of total plastic parts' weight >25g, recycled material content is 12.9 %.			
P7.21 P7.22	Of total plastic parts' weight >25g, biobased material content is 0%.			
17.22	Light sources are free from mercury	\boxtimes		
P8	If mercury is used specify: Number of lamps: and max. mercury content per lamp: mg Batteries mg			
P8.1*	Battery chemical composition:	medical control		
P8.2				
	Batteries meet the requirements of the following voluntary program/s:			\boxtimes

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model num	ber*	E221c								
Issue date	*	9/2/2013					Logo			
Product e	nvironn	nental att	ributes - Market re	equirements (co	ntinued)			Re	quiremen	t met
Item		,							Yes No	
		consumpt								
		roduct the	following power levels	s or energy consum	nptions are repor	rted:				
Energy mod			Power level at 100 V AC	Power level a	Power leve 230 V AC	l at	Reference / modes and test		for energy	TO
ENERGY ST)		20.8 W	20.6 W	20.4 W		ENERGY STAF Requirements for Ver. 6.0		Monitors:	
Sleep Mode		w Power	0.4 W	0.4 W	0.4 W		ENERGY STAR Requirements for Ver. 6.0	or Computer	Monitors:	
ENERGY ST Apparent Of	f Mode*		0.2 W	0.2 W	0.2 W		ENERGY STAR Requirements for Ver. 6.0	or Computer	Monitors:	
			0 Megapixels				ENERGY STAR Requirements for Ver. 6.0	or Computer	Monitors:	
Default time to enter energy save mode: minutes ENERGY STAR® Program Requirements for Computers: Ve				s: Ver. 6.0						
			ne energy save function						ØП	\top
P9.3*	P9.3* The product meets the energy requirements of the following voluntary program/s: ENERGY STAR® version: 6.0 Product category: Display									
	Others sp								H H	X
	Emission		Declared according to	100 0000						
P10.1	Mode	M	ode description	150 9296	Declared		Declared	A		T 6-7
			and and an		A-weighted	reighted sound pressure level I (de		(dB)	\boxtimes	
					sound power level L_{WAd} (B)	Oper	ator position		er positions	
					-WAG (=)		Desktop	-		
ļ.	-11						or Desk side		oduct is not or attended)	
1	dle				*					\boxtimes
(Operation	1			*					\boxtimes
7	Other mo	de				-				-
N	Measured	daccording	to: ISO7779	ECMA-74						
D10.0			Other	(only if not covere	ed by ECMA-74 w	vith L _{DA}	measurement o	distance	m)	
P10.2 T	The produ	uct meets t	he acoustic noise reg	uirements of the fol	lowing voluntary	progra	m/o:			

Model nu	mber *	E221c					
Issue date	e *	9/2/2013		Logo			
Product	environr	nental attributes - Market require	ments (continued)	R	equire	ment	met
Item			monte (continued)		Yes	No	n.a.
	Chemic	al emissions from printing products					
P10.3*	Test per	formed according to ECMA-328 (ISO/IE	C 28360) standard, other spe	ecify:			\boxtimes
P10.4		emission rate (print phase) is (mg/h): Dust Ozone Styrene	Benzene TVOC				
P10.5		al emission requirements of the following Oust Ozone Styre	voluntary program/s are	met for : TVOC			\boxtimes
D40.0		nagnetic emissions					
P10.6	program		frequency electromagnetic fields	s of the following voluntary			
P11	Consum	able materials for printing products		A PER LE MANTE MANAGEMENT DE LA COMPANIONE DE LA COMPANIONE DE LA COMPANIONE DE LA COMPANIONE DE LA COMP			
P11.1*	A Safety	Data Sheet (SDS) is available for the in	k/toner preparation, even if not le	egally required (see P4.3).			\boxtimes
P11.2*	Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN12281.						\boxtimes
P11.3*	2-sided (duplex) printing/copying is an integrated product function.						\boxtimes
P12 P12.1*	Ergonomics for computing products						
P12.1	The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.						
		The physical input device meets the requirements of ISO 9995 and ISO 9241-410.					
P13 P13.1*		ng and documentation packaging material type(s): PAPER/Cor			May 3		
	Product Product	packaging material type(s): PLASTIC/E packaging material type(s): PLASTIC/E	PE-Expanded Polvethylene	weight (kg): 0.808 weight (kg): 0.048 weight (kg): 0.328			
P13.2*	Product	plastic packaging is free from PVC.			\boxtimes		
P13.3*	Electroni	nedia for user and product documentation c ⊠, Paper ☐, Other ☐	,				
P13.4*	Tiber: 73			of post-consumer recycled			
Rev. P13.5	User and	product documentation do not contain	ocumentation do not contain chlorine bleached paper				
P14	Addition	al information (See Note B4)					
All sections	1. Produ	ct environmental information contained i	n this declaration is valid as of th	e date the declaration is publis	hed. C	hange	s to
3000013	2.Europe	standards referenced in the IT Eco-Dec an Union Commission Regulation 1275	/2008 Energy Efficiency Informa	rmation contained in this decla	ration o	ver tim	ne.
		Condition	Power Consumption in Watts at 230 VAC Input Voltage	Default Time to Mode / Condition (if applicable)			
	Off Mod	de (if applicable)	0.14 W	Not Applicable			
		y Mode (if applicable)	Not Applicable	Not Applicable			
	all wire	k Standby / Sleep / Long Idle Mode if d network ports are connected and all s network ports are activated (if ole)	0.39 W	Not applicable			
	Network applical	k Standby / Sleep / Long Idle Mode (if ple)	0.39 W	Not applicable			
	Where a	ean Union Commission Regulation 1275 pplicable, activate and deactivate a wire	less network using the instruction		guide (or the	

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19







Company environmental profile - THE ECO DECLARATION

Legal references Europe Annex A

0.000